

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/264340019>

How to R.E.S.E.T farmer mindset? Experiences from The Netherlands

Conference Paper · July 2012

CITATION

1

READS

3,185

3 authors, including:



Jolanda Jansen

St Anna Advies

68 PUBLICATIONS 1,537 CITATIONS

[SEE PROFILE](#)



T.J.G.M. Lam

Utrecht University

249 PUBLICATIONS 9,717 CITATIONS

[SEE PROFILE](#)

Some of the authors of this publication are also working on these related projects:



Tailored Dry Period [View project](#)



NSERC Industrial Research Chair in Infectious Diseases of Dairy Cattle [View project](#)

How to R.E.S.E.T. farmer mindset? Experiences from the Netherlands

Jolanda Jansen, PhD, St. Anna Advies, Wageningen UR Livestock Research

Roeland Wessels, DVM, St. Anna Advies

Theo Lam, Prof. PhD DVM, GD Animal Health Service, Faculty of Veterinary Medicine, Utrecht University

Introduction

From a historical perspective, agricultural extension specialists, researchers, and veterinarians assumed that agriculture was an activity executed by an individual farmer, based primarily on rational, technical, and economic considerations^{1,2}. Although such rational choices still play a role in farm management, we have learned that farmers' decision making about mastitis management based on these considerations is not always clear and understandable³. Why some farmers, even though it would benefit their results, do not implement effective mastitis management practices is not always known⁴, but it is often assumed that, besides these deliberate rational considerations, other farmer mindset factors play a role^{1, 3-14}. This paper described the R.E.S.E.T model that can be used as a framework for changing farmers mindset and improving udder health.

Farmer mindset

Farmer mindset comprises a variety of social psychology constructs such as the farmer's personality, attitudes, beliefs, values, intentions, skills, knowledge, perceived norms, and perceived self-efficacy. For example see the Theory of Planned Behavior¹⁵⁻¹⁷ and the Health Belief Model¹⁸⁻²⁰, which are both frequently used to explain people's health behaviour²¹⁻²³. All these factors, and probably more, comprise the 'human factor' which, for the sake of convenience, is summarized as 'mindset'.

Research of the Dutch Udder Health Centre (UGCN) in the Netherlands, has shown that indeed mastitis can be explained to a certain extent by farmer mindset and behaviour and that mindset explains a substantial part in these models^{24, 25}. In this study from 2004, elements of farmer mindset explain 17% of the variance in clinical mastitis incidence and 47% of the variance in bulk milk somatic cell count (BMSCC), while farmers' self-reported behaviour explains, respectively, 12% and 14% of the variance of these parameters.

The results of several studies of the UGCN show that two factors of farmer mindset seem to be important behavioural determinants for mastitis prevention: the perceived threat (i.e. "Do I have a problem?") and the perceived efficacy of preventive measures (i.e. "Can I solve the problem easily?")^{26, 27}. Interestingly, these factors are also known to be indispensable in motivating people to work on their own health and are included in the so-called Health Belief Model, that is presented in Figure 1.^{18-20, 28, 29}. For veterinarians and other herd health advisors, it is important to acknowledge these mindset factors and to make sure they have a complete understanding about farmers perceptions on benefits and barriers of preventive measures when advising them.




Figure 1. The Health Belief Model¹⁸, adapted by Koelen and Van den Ban³⁰.

The R.E.S.E.T approach

The causes of variation in mastitis incidence on herd and cow level are not yet fully understood. However, this does not restrain the dairy sector from implementing policies to reduce mastitis. For a mastitis control program, it is important to influence elements of farmer mindset in order to change farmers' management practices to improve udder health. Farmers can be persuaded in many ways to change their behaviour regarding udder health^{25-27, 31-33}. It is most important to note that farmers are different. They have various learning styles and prefer customized communication^{32, 33}. A combination of actions and communication strategies are therefore needed to reach and change as many farmers as possible, because 'one size fits all' approach does not apply for effective communication.

To make life easier we can discuss some effective intervention strategies by following the R.E.S.E.T model, that was adapted from van Woerkum et al.³⁴, and Leeuwis¹ and was described in a different form earlier regarding mastitis by Lam et al³³. The model shows five main instruments that need to be addressed when a change in behaviour of people is required: The R of Regulations, the E of Education, the S of Social pressure, the E of Economic incentives, and the T of Tools. As some people are more influenced by negative stimuli, and some more by positive stimuli or social pressure, it is the combination of all that makes a program or campaign effective²⁶. Communication can be used as an instrument on its own via Education, but is actually the glue between all instruments together.

Simply said, behaviour can be changed either in a voluntary or a compulsory manner. Compulsory behavioural change is facilitated by coercion such as regulations and restrictive provisions^{34, 35} (Van Woerkum et al., 1999). It is well known that compulsory behavioural change will probably only last as long as the coercion exists. Therefore, voluntary behavioural change is preferable. Voluntary behavioural change can be reached by internal or external motivation. Internal motivation is the most difficult one to influence via a disease control program, as it relates to age, generation, lifestyle, education and character. External motivation is therefore better suitable, but mostly underestimated.




Figure 2. The R.E.S.E.T model: Behavioural change by a combination of strategies (adapted from Van Woerkum et al.³⁴, see also Leeuwis¹).

The R of Regulations

It is well known that regulations by law force people to behave in a preferred way. If you don't, you can end up with a fine, in jail, or even worse off in some countries. This mechanism works via coercion. It has nothing to do with voluntary behaviour. This may not apply to udder health directly, although legal limits for cell count, use of antibiotics and other drugs, and environmental regulations may influence farm management. These regulations need to be taken into account. It is known that a change in legislation has a direct effect when there is proper surveillance. However, this measure can only be implemented by authorities. It should be noted that these measures can work counterproductive. For example, when you want a farmer to renovate his barn, this is sometimes prohibited by local authorities or can take years to actually get all permissions. This can be one of the barriers within farmer mindset as presented in figure 1.

The E of Education

Education is one of the most used intervention instruments. The effect of it is important, but sometimes overestimated. Education does not mean that you can send farmers a book with information about udder health, and then hope they will learn from it³¹. Education should start early,

even within agricultural schools and vet schools. Education can be more effective if the information is offered and adapted to the different learning styles of farmers³³.

Using study groups as a method for education is quite effective for a specific group of farmers with a specific learning style. About 13% of farmers will participate in study groups when actively offered to them^{31, 33, 36}. This means that a large part of the farming community are not reached. Different education and communication strategies therefore are needed as study groups focus more on rational behavioural change. Peripheral communication strategies may therefore educate people without them even being aware of it, as was shown by the milking gloves campaign of the UGCN. Milking glove use increased from 21% to 42% within one year of a short peripheral campaign focused on their use. Moreover, the opinion and knowledge of farmers about milking gloves changed in their favour, without actually addressing the benefits of gloves in the campaign itself³¹.

The S of Social pressure

Social pressure influences farmers norms and values, and can therefore have a long term effect on internal motivation as well. However, mostly this will influence the circumstances on a farm and within a family, which makes a farmer change his behaviour. Humans need social cohesion to be successful. It is therefore one of the most powerful tools that can be used in intervention strategies. The success of study groups, where farmers influence each other is mostly based on this principle. Social pressure influences peoples frame of reference. What is normal for you on your farm? If an important and highly respected person within a farmers social network has a different frame of reference, a farmer may want to copy that in order to comply to the norms. Everybody wants to be unique, but nobody wants to be too different.

Veterinarians and other herd health advisers are important for increasing social pressure and setting a frame of reference about what is normal, and what is not. The more people within a farmers social network who put such a pressure on the farmer, the harder it is not to comply. That's why it is important that all farm advisors, and even all vets within the same practice, work together and send the same message. They also need to take into account others that may influence the farmer, such as family members, peers or staff. If the social pressure is high enough the other tools of the R.E.S.E.T model may have no or less effect.

The E of Economic incentives

External motivation can be accomplished by financial stimuli such as bonuses and penalties related to bulk milk somatic cell count (BMSCC)^{37, 38}. Currently in the Netherlands a penalty is imposed for a geometric mean BMSCC above 400,000 cells/ml. This policy is effective in reducing the number of herds with a BMSCC above this threshold level. Penalties are always extensively discussed, as it is known that it has an effect as soon as these levels are adjusted. However, this does not solve all udder health problems, because serious clinical mastitis problems may occur in herds with a low BMSCC^{39, 40}. In addition, milk of individual cows with clinical or subclinical mastitis can be withheld from the bulk and thus are not represented in the BMSCC.

People will change their behaviour by these penalties, not just through some sort of coercion, but mostly because they set a social norm. They tell you when you are not doing well. Unfortunately these norms sometimes have the opposite effect. As long as a farmer does not reach this norm, he

may think he is ok. Therefore it should be better if at the same time another statement is being made by rewarding farmers that do good. The premiums paid by many Australian milk processors for milk <250.0000 BMSCC is a good example of external motivation in a positive way. A good quality milk can be rewarded economically, but also by rewards that apply to the farmers sense of pride and status (social pressure), like best quality milk, best reduction in cell count, best udder health etc. Incentives can work counterproductive. For example, some practices and veterinary pharmaceutical companies in the Netherlands give a quantity discount on dry cow therapy with antibiotics: the more tubes you buy, the cheaper. But one should take in mind the symbolism of such a communication when you want farmers to reduce the amount of antibiotics they use, which is currently a hot issue in the Netherlands.

Finally, economic incentives can work for implementing control measures, by showing farmers the economic benefits of implementing measures, or by making certain measures much cheaper, such as bacteriology on milk samples. However, it should be taken into account that most farmers do not behave economically rational as was studied by Huijps et al^{38, 41-43} and Asseldonk et al⁴⁴.

The T of Tools

Tools, such as technical provisions, means and methods can stimulate farmers to perform a certain behaviour. They can make the desired behaviour much easier to perform. E.g. the possibility for easy milk sampling, or the fact that the design of the milking parlour is optimal to treat mastitis cows as soon as you notice them. Tools can also be software to analyse the udder health problems. Tools only work if they are used properly and in combination with the other intervention instruments. Educating farmers that they need to take milk samples has no use if the nearest vet who can analyse such samples is difficult to reach or remote from the farm.

Tools can also help farmers to perform their behaviour unconsciously the right way. For example gloves can be attached to treatment tubes to make sure you are reminded to wear them when you apply dry cow therapy. Scientists are more and more aware of the effect of automatic unconscious behaviour in daily life. With our growing capacity to analyse peoples brains we get a better picture of what happens within the unconscious brain. The earlier mentioned peripheral campaigns can subconsciously influence people. Rational approaches via study groups may not be enough to make farmers use some tools³¹.

Concluding remarks

Elements of farmer mindset are important determining factors in mastitis control, including the perceived threat (i.e. "Do I have a problem?") and the perceived efficacy of preventive measures (i.e. "Can I solve the problem easily?"). These issues can be addressed in communication strategies using the R.E.S.E.T model as framework and can be used even as a guide to evaluate the communication strategies applied by veterinary practices and practitioners themselves. To be effective, a disease program should do more than distributing technical information about best management practices to dairy farmers. Prevention of complex diseases, such as mastitis, requires customized communication strategies as well as an integrated approach between various stakeholders and different scientific disciplines. Such programs need to be supported by a combination of several policy measures to change farm management on the long term, because farmers are part of, and are influenced by, a wide institutional context.

References

1. Leeuwis C. *Communication for Rural Innovation. Rethinking Agricultural Extension. Third edition.* Third edition edn. Blackwell Science Ltd, Oxford, 2004.
2. Burton RJF. Reconceptualising the 'behavioural approach' in agricultural studies: a socio-psychological perspective. *Journal of Rural Studies* 2004;20:359-371.
3. Vaarst M, Paarup-Laursen B, Houe H, Fossing C, Andersen HJ. Farmers' choice of medical treatment of mastitis in Danish dairy herds based on qualitative research interviews. *Journal of Dairy Science* 2002;85:992-1001.
4. Barkema HW, Van der Ploeg JD, Schukken YH, et al. Management style and its association with bulk milk somatic cell count and incidence rate of clinical mastitis. *Journal of Dairy Science* 1999;82:1655-1663.
5. Seabrook MF. The Psychological Interaction between the Stockman and His Animals and Its Influence on Performance of Pigs and Dairy-Cows. *Veterinary Record* 1984;115:84-87.
6. Van der Ploeg JD. *Bedrijfstijlen als socio-technische netwerken. De virtuele boer.* first edn. Van Gorcum & Crompt B.V., Assen, 1999:110-156.
7. Beaudeau F, Van der Ploeg JD, Boileau B, Seegers H, Noordhuizen JPTM. Relationships between culling criteria in dairy herds and farmers' management styles. *Preventive Veterinary Medicine* 1996;25:327-342.
8. Andersen HJ, Enevoldsen C. Towards a Better Understanding of the Farmer's Management Practices- the Power of Combining Qualitative and Quantitative Data. In: Andersen HJ, editor. *Radgivning, Bev aegelse mellem data og dialog.* Mejeriforeningen, Arhus, 2004:281-301.
9. Reneau JK. Milk Quality Mind Set. Oregon, Ohio, April 30- May 2 2002 2002.
10. Tarabla H, Dodd K. Associations between farmers' personal characteristics, management practices and farm performance. *The British veterinary journal* 1990;146:157-164.
11. Barnouin J, Chassagne M, Bazin S, Boichard D. Management practices from questionnaire surveys in herds with very low somatic cell score through a national mastitis program in France. *Journal of Dairy Science* 2004;87:3989-3999.
12. Wenz JR, Jensen SM, Lombard JE, Wagner BA, Dinsmore RP. Herd management practices and their association with bulk milk somatic cell count on United States dairy operations. *Journal of Dairy Science* 2007;90:3652-3659.
13. Dohoo IR, Martin SW, Meek AH. Disease, production and culling in Holstein-Friesian cows VI. Effects of management on disease rates. *Preventive Veterinary Medicine* 1984;3:15-28.
14. Nyman AK, Ekman T, Emanuelson U, et al. Risk factors associated with the incidence of veterinary-treated clinical mastitis in Swedish dairy herds with a high milk yield and a low prevalence of subclinical mastitis. *Preventive Veterinary Medicine* 2007;78:142-160.
15. Ajzen I, Madden TJ. Prediction of goal-directed behavior: attitudes, intentions and perceived behavioral control. *Journal of experimental social psychology* 1986;22:453-474.
16. Ajzen I. The Theory of Planned Behavior. *Organizational Behavior and Human Decision Processes* 1991;50:179-211.
17. Fishbein M, Yzer MC. Using Theory to Design Effective Health Behavior Interventions. *Communication Theory* 2003;13:164-183.
18. Janz N, Becker MH. The health belief model: A decade later. *Health Education Quarterly* 1984;11:1-47.
19. Sun X, Guo Y, Wang S, Sun J. Predicting Iron-Fortified Soy Sauce Consumption Intention: Application of the Theory of Planned Behavior and Health Belief Model. *Journal of Nutrition Education and Behavior* 2006;38:276-285.
20. Garcia K, Mann T. From 'I Wish' to 'I Will': social-cognitive predictors of behavioral intentions. *J Health Psychol* 2003;8:347-360.
21. Armitage CJ, Conner M. Efficacy of the Theory of Planned Behaviour: a meta-analytic review. *British Journal of Social Psychology* 2001;40:471-499.
22. Painter JE, Borba CP, Hynes M, Mays D, Glanz K. The use of theory in health behavior research from 2000 to 2005: a systematic review. *Ann Behav Med* 2008;35:358-362.
23. Noar SM, Chabot M, Zimmerman RS. Applying health behavior theory to multiple behavior change: Considerations and approaches. *Preventive Medicine* 2008;46:275-280.
24. Jansen J, Van den Borne BHP, Renes RJ, et al. Explaining mastitis incidence in Dutch dairy farming: the influence of farmers' attitudes and behaviour. *Preventive Veterinary Medicine* 2009;92:210-223.
25. Jansen J, Van Schaik G, Renes RJ, Lam TJGM. The effect of a national mastitis control program on the attitudes, knowledge and behavior of farmers in the Netherlands. *Journal of Dairy Science* 2010;93:5737-5747.
26. Jansen J, Lam TJGM. The role of communication in improving udder health. *Veterinary Clinics of North America Food Animal Practice* 2012;28:363-379.
27. Jansen J. Mastitis and farmer mindset. Towards effective communication strategies to improve udder health management on Dutch dairy farms. *Communication and Innovation Studies.* Wageningen University, Wageningen, 2010.
28. Rogers RW. Cognitive and physiological processes in fear appeals and attitude change: a revised theory of protection motivation. In: Cacioppo JT, Petty RE, editors. *Social psychology: a source book.* Guilford Press, New York, 1983:153-176.
29. Griffin RJ, Dunwoody S, Neuwirth K. Proposed model of the relationship of risk information seeking and processing to the development of preventive behaviors. *Environmental Research Section A* 1999;80:S230-S245.
30. Koelen MA, Van den Ban AW. *Health education and health promotion.* Wageningen Academic Publishers, Wageningen, 2004.
31. Jansen J, Renes RJ, Lam TJGM. Evaluation of two communication strategies to improve udder health management. *Journal of Dairy Science* 2010;93:604-612.
32. Jansen J, Steuten CDM, Renes RJ, Aarts N, Lam TJGM. Debunking the myth of the hard-to-reach farmer: effective communication on udder health. *Journal of Dairy Science* 2010;93:1296-1306.

33. Lam TJGM, Jansen J, Van den Borne BHP, Renes RJ, Hogeveen H. What veterinarians need to know about communication to optimise their role as advisor on udder health in dairy herds. *New Zealand Veterinary Journal* 2011;59:8-15.
34. Van Woerkum C, Kuiper D, Bos E. *Communicatie en innovatie. Een inleiding*. Samsom, Alphen aan de Rijn, 1999.
35. Van Woerkum C, Van Meegeren Pe. *Basisboek communicatie en verandering*. Uitgeverij Boom, Amsterdam, 1999.
36. Meesters AJM, Jansen J, Van Veersen J, Lam TJGM. Study groups for udder health improvement led by practitioners- experiences from the Netherlands. 2007.
37. Valeeva NI, Lam TJGM, Hogeveen H. Motivation of Dairy Farmers to Improve Mastitis Management. *Journal of Dairy Science* 2007;90:4466-4477.
38. Huijps K, Hogeveen H, Antonides G, et al. Economic behavior of dairy farmers regarding mastitis management. In: Hillerton JE, editor. *Mastitis research into practice Proceedings of the 5th IDF mastitis conference, Christchurch New Zealand Vetlearn*, Wellington, New Zealand, 2010:212-217.
39. Barkema HW, Schukken YH, Lam TJGM, et al. Management practices associated with low, medium and high somatic cell counts in bulk milk. *Journal of Dairy Science* 1998;81:1917-1927.
40. Barkema HW, Schukken YH, Lam TJGM, et al. Incidence of clinical mastitis in dairy herds grouped in three categories by milk somatic cell counts. *Journal of Dairy Science* 1998;81:411-419.
41. Huijps K, Lam TJGM, Hogeveen H. Costs of mastitis: facts and perception. *J Dairy Res* 2008;75:113-120.
42. Huijps K, Hogeveen H, Lam TJ, Huirne RB. Preferences of cost factors for mastitis management among Dutch dairy farmers using adaptive conjoint analysis. *Prev Vet Med* 2009;92:351-359.
43. Huijps K, Hogeveen H, Lam TJGM, Lansink AGJMO. Costs and efficacy of management measures to improve udder health on Dutch dairy farms. *Journal of Dairy Science* 2010;93:115-124.
44. van Asseldonk MAPM, Renes RJ, Lam TJGM, Hogeveen H. Awareness and perceived value of economic information in controlling somatic cell count. *Veterinary Record* 2010;166:263-267.